





Size	8.4"
Model	G084SN03
Resolution (pixel)	SVGA (800 x 600)
Active Area (mm)	170.4 x 127.8
Pixel Pitch (mm)	0.213
Mode	TN
Number of Colors	262K
Color Saturation (NTSC%)	45
View Angle (H/V)	130 / 110
Brightness (cd/m ²)	220
Contrast Ratio	500 : 1
Response Time (ms) (at 25°C)	35
Power Consumption (W)	3.3
Interface	1ch LVDS
Supply Voltage (V)	3.3
Backlight	1 CCFL
Outline Dimensions (mm)	203.0 x 142.5 x 5.7
Weight (g)	215
Production	Now
Remark	4-Wire Resistive Touch Panel Optional



Size	8.4"
Model	G084SN05
Resolution (pixel)	SVGA (800 x 600)
Active Area (mm)	170.4 x 127.8
Pixel Pitch (mm)	0.213
Mode	TN
Number of Colors	262K
Color Saturation (NTSC%)	45
View Angle (H/V)	130 / 110
Brightness (cd/m ²)	450
Contrast Ratio	500 : 1
Response Time (ms) (at 25°C)	35
Power Consumption (W)	5.8
Interface	1ch LVDS
Supply Voltage (V)	3.3
Backlight	2 CCFL
Outline Dimensions (mm)	203.0 x 142.5 x 8.0
Weight (g)	260
Production	Now
Remark	4-wire Resistive Touch Panel Optional



Size	12.1"
Model	G121SN01 V3
Resolution (pixel)	SVGA (800x600)
Active Area (mm)	246.0 x 184.5
Pixel Pitch (mm)	0.3075x0.3075
Mode	TN
Number of Colors	262K/16.2M
View Angle (H/V)	140/110
Brightness (cd/m ²)	400
Contrast Ratio	500:1
Response Time (ms) (at 25°C)	35
Power Consumption (W)	7.3
Interface	LVDS
Supply Voltage (V)	3.3
Backlight	2 lamps/2 side
Outline Dimensions (mm)	279x209x11
Weight (g)	660
Remark	Reverse scan, Replaceable lampWide Temperature solution
Color Saturation (NTSC%)	55



Size	42"
Model	G420XW02 V0
Resolution (pixel)	WXGA (1366 x 768)
Active Area (mm)	930.3 x 523.0
Pixel Pitch (mm)	0.681
Mode	AMVA
Number of Colors	16.7M (8bit)
View Angle (H/V)	178 / 178
Brightness (cd/m ²)	500
Contrast Ratio	1500:1 typ.
Response Time (ms) (at 25°C)	8ms (GTG)
Power Consumption (W)	174
Interface	1ch LVDS
Supply Voltage (V)	12
Backlight	CCFL
Outline Dimensions (mm)	957.0(H) x 550.0(V) x 58(D)
Weight (g)	15000
Production	2008/Mar
Remark	Public Information Display, Slim Bezel
Color Saturation (NTSC%)	72



Model	Size	Resolution	
G057QN01 V0	5.7"	QVGA (320 x 240)	
G057VN01 V0	5.7"	VGA (640 x 480)	
G065VN01 V0	6.5"	VGA (640 x 480)	
G065VN01 V1	6.5"	VGA (640 x 480)	
G084SN02	8.4"	SVGA (800 x 600)	
G084SN03	8.4"	SVGA (800 x 600)	
G084SN05	8.4"	SVGA (800 x 600)	
G104SN02	10.4"	SVGA (800 x 600)	
G104SN03 V1	10.4"	SVGA (800 x 600)	
G121SN01	12.1"	SVGA (800 x 600)	
G150XG01	15"	XGA (1024 x 768)	
G150XG02	15"	XGA (1024 x 768)	
G420XW01 V0	42"	WXGA (1366 x 768)	
G420XW02 V0	42"	WXGA (1366 x 768)	NEW
G121SN01 V3	12.1"	SVGA (800x600)	